



- | | | | |
|------------------------------|--------------------------------|------------------------|--------------------------------|
| Bangliang, S. 37 | Gamboa-Torres, A.E. 153 | Meney, K. 27 | van Baten, J.M. 143 |
| Baofen, Z. 37 | García-Sánchez, F. 189, 203 | Mewes, D. 3, 99 | Versteeg, G.F. 165 |
| Beck, M.S. 51, 73 | Geldart, D. 51 | Mikos, M. 105 | Vlaev, D. 87, 93, 105 |
| Bennett, M.A. 43, 57 | Grassler, T. 65 | Miller, J.D. 79 | |
| Bernini, R. 137 | Grieve, B. 27 | Mohamad Nor, M.I. 221 | Waldie, B. 221 |
| Bhargava, A. 19 | Grieve, B.D. 87 | | Wang, M. 87, 93 |
| Binley, A. 11 | Grisdanurak, N. 215 | Neomagus, H.W.J.P. 165 | Wang, S.J. 51 |
| Boxman, A. 105 | | | Wessel, H.F.W. 165 |
| Brook, G. 19 | Hamilton, K. 19 | Ostrowski, K.L. 43, 57 | West, R.M. 31 |
| Buchmann, M. 3 | Hernández-Garduza, O. 189, 203 | Ozanyan, K.B. 111, 127 | Wilkinson, D. 221 |
| Byars, M. 73 | Hindle, F. 127 | | Williams, R.A. 31, 43, 57, 119 |
| | Hindle, F.P. 111 | Peixoto, F.C. 179 | Wilson, M. 105 |
| Carey, S.J. 111 | | Pessôa, F.L.P. 179 | Winterbone, D.E. 111 |
| Chen, J. 19 | Jia, X. 31 | Pierri, R. 137 | Wirth, K.-E. 65 |
| Clough, E. 111 | | Plaskowski, A. 73 | Wright, I. 19 |
| | Kantzas, A. 19 | Platt, G.M. 179 | |
| Daily, W. 11 | Kemna, A. 11 | Praserthdam, P. 215 | |
| Danya, Y. 37 | Krishna, R. 143 | | Ramirez, A. 11 |
| Dorward, A. 93 | | | Salas-Padrón, A. 189, 203 |
| Dyakowski, T. 1, 51, 87, 105 | Lihui, P. 37 | | Saracco, G. 165 |
| | Lin, C.L. 79 | | Schmitz, D. 99 |
| Eliosa-Jiménez, G. 189, 203 | Luke, S.P. 43, 57 | | |
| | | | Yen Lee, H. 221 |
| | Mann, R. 1, 87, 93, 105 | | Yiheng, Z. 37 |
| Flores-Tlacuahuac, A. 153 | McCann, H. 111, 127 | Tapp, H.S. 119 | York, T. 105 |
| Follows, G. 105 | McNaughtan, A. 27 | Tomkiewicz, K. 73 | Yuangsawatdikul, W. 215 |
| | | | |
| | | | Zarabi, T. 19 |
| | | | Zeni, L. 137 |



Subject Index of Volume 77

Alkane dehydrogenation

- Coke formation over Pt–Sn–K/Al₂O₃ in C₃, C₅–C₈ alkane dehydrogenation, 215

Belt conveying

- Measurement of bulk particulates on belt conveyor using dielectric tomography, 57

Bubble columns

- Tomographic imaging of transient multiphase flow in bubble columns, 99

Capacitance tomography

- A behaviour of a catalyst powder flowing down in a dipleg, 51
- Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
- Testing of the failure of a solid rocket propellant with tomography methods, 73

Catalytic combustion

- The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165

CFD model

- Baffle plate configurations to enhance separation in horizontal primary separators, 221

Characterisation

- Status and applications of microelectrical resistance tomography, 119

Chemical processes

- Application of gamma camera imaging and SPECT systems in chemical processes, 19

Circulating fluidized bed

- A behaviour of a catalyst powder flowing down in a dipleg, 51
- X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65

Clear liquid height

- Modelling sieve tray hydraulics using computational fluid dynamics, 143

Coking

- Coke formation over Pt–Sn–K/Al₂O₃ in C₃, C₅–C₈ alkane dehydrogenation, 215

Combustion

- Chemical species tomography by near infra-red absorption, 111

Complex resistivity

- Complex resistivity tomography for environmental applications, 11

Computational fluid dynamics

- Modelling sieve tray hydraulics using computational fluid dynamics, 143

Computer tomography

- X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65

Contactless measurements

- Optical tomography for dielectric profiling in processing electronic materials, 137

Control

- Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43

Dielectric constant

- Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43

- Measurement of bulk particulates on belt conveyor using dielectric tomography, 57

Differential tomography

- Testing of the failure of a solid rocket propellant with tomography methods, 73

Disjoint regions

- Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A → B → C, 153

Doping profile

- Optical tomography for dielectric profiling in processing electronic materials, 137

Duo-modal tomography

- Testing of the failure of a solid rocket propellant with tomography methods, 73

Electrical tomography

- Imaging nylon polymerisation processes by applying electrical tomography, 105

- Tomographic imaging of transient multiphase flow in bubble columns, 99

Electrochemical

- Electrochemical issues in impedance tomography, 27

Emulsions and pastes

- Status and applications of microelectrical resistance tomography, 119

Enthalpy

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide-vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203

Equation of state

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide-vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203

Excess function

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide-vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189

- Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
- Filter cake**
Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79
- Filtration**
Detecting filter-cake pathologies in solid-liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87
- Flash calculation**
Vapor-liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
- Flow imaging**
Application of gamma camera imaging and SPECT systems in chemical processes, 19
- Fluorescence**
First demonstration of optical fluorescence auto-projection tomography, 127
- Fractal dimension**
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
- Froth density**
Modelling sieve tray hydraulics using computational fluid dynamics, 143
- Froth height**
Modelling sieve tray hydraulics using computational fluid dynamics, 143
- Fuel**
First demonstration of optical fluorescence auto-projection tomography, 127
- Gamma camera**
Application of gamma camera imaging and SPECT systems in chemical processes, 19
- Gas-liquid mixing**
Measurements of gas-liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93
- Hydrocyclone**
Parametric modelling in industrial process tomography, 31
- Image processing**
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
- Image reconstruction**
Parametric modelling in industrial process tomography, 31
- Impedance**
Electrochemical issues in impedance tomography, 27
- Infra-red**
Chemical species tomography by near infra-red absorption, 111
- Input multiplicity**
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions $A \rightarrow B \rightarrow C$, 153
- Interpretation**
Parametric modelling in industrial process tomography, 31
- Inversion**
Complex resistivity tomography for environmental applications, 11
- Isolas**
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions $A \rightarrow B \rightarrow C$, 153
- Laminar mixing**
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3
- Mass flow**
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
- Membrane reactor**
The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165
- Micro- and macromixing**
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3
- Microelectrical resistance tomography**
Status and applications of microelectrical resistance tomography, 119
- Modeling**
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions $A \rightarrow B \rightarrow C$, 153
- Multi-indexed continuous mixtures**
Vapor-liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
- Multiphase flow**
X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65
- Non-destructive testing**
Testing of the failure of a solid rocket propellant with tomography methods, 73
- Nylon polymerisation**
Imaging nylon polymerisation processes by applying electrical tomography, 105
- Oil/water separation**
Baffle plate configurations to enhance separation in horizontal primary separators, 221
- Optical tomography**
Optical tomography for dielectric profiling in processing electronic materials, 137
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3
- Output multiplicity**
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions $A \rightarrow B \rightarrow C$, 153
- Particle and colloid suspensions**
Status and applications of microelectrical resistance tomography, 119
- Plasma technology**
Imaging nylon polymerisation processes by applying electrical tomography, 105
- Pneumatic conveyor**
Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyor, 43
- Pore structure**
Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79
- Pressure relief**
Tomographic imaging of transient multiphase flow in bubble columns, 99
- Primary separator**
Baffle plate configurations to enhance separation in horizontal primary separators, 221
- Process pathology**
Detecting filter-cake pathologies in solid-liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87
- Process tomography**
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
- Quadrature method**
Vapor-liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179

- Reactants**
 The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165
- Reconstruction algorithm**
 The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
- Relaxation**
 Complex resistivity tomography for environmental applications, 11
- Resistance tomography**
 Detecting filter-cake pathologies in solid–liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87
- Semiconductor material**
 Optical tomography for dielectric profiling in processing electronic materials, 137
- Separation**
 Baffle plate configurations to enhance separation in horizontal primary separators, 221
- Sieve trays**
 Modelling sieve tray hydraulics using computational fluid dynamics, 143
- SIRT**
 The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
- SPECT imaging**
 Application of gamma camera imaging and SPECT systems in chemical processes, 19
- Spectroscopy**
 Chemical species tomography by near infra-red absorption, 111
- Stirred vessel**
 Measurements of gas–liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93
- Thermodynamics**
 Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
 Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
- Tomography**
 Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyor, 43
 Chemical species tomography by near infra-red absorption, 111
 Electrochemical issues in impedance tomography, 27
 First demonstration of optical fluorescence auto-projection tomography, 127
 Measurements of gas–liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93
- TPO**
 Coke formation over Pt–Sn–K/Al₂O₃ in C₃, C₅–C₈ alkane dehydrogenation, 215
- Vapor–liquid equilibria**
 Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
 Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
 Vapor–liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
- Visualisation**
 First demonstration of optical fluorescence auto-projection tomography, 127
- Voltammetry**
 Electrochemical issues in impedance tomography, 27
- X-ray**
 X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65
- X-ray microtomography**
 Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79